

DRILLING METHOD		DATUM		GRID REFERENCE		Nº	
Shell and Auger		Top of Standpipe 76.53 m OD		TL 2750 1058		764/BH1	
MACHINE				SITE			
Pilcon Wayfarer				Cole Green and Holwell Court			
CONTRACTOR			LOGGED BY				
Wimpey			RS/GB				
CONSTRUCTION	Backfill		WATER	DEPTH	DEPTH	DESCRIPTION OF STRATA	SURFACE LOG
	Depth	Fill					
		Cement		0.5	76.03	TOPSOIL	
	1.0						
	1.5	Sand				ORANGE/BROWN SILTY SAND	
				2.3	74.23		
		Bento-nite Cement				ORANGE/BROWN SANDY SILTY CLAY	
				3.4	73.13		
						FINE ORANGE/BROWN SILTY SAND BECOMING MORE SILTY AND CLAYEY WITH DEPTH	
	7.7		RWL				
		Bento-nite Pellets	▽	8.0	68.53		
	8.9			8.8	67.73		
						ORANGE/BROWN SANDY SILT WITH SOME CLAY	
KEY					REMARKS		
Vertical Scale 1:50 2 centimetres equal 1 metre							
ASPINWAI I & COMPANY					CLIENT Redland Aggregates Ltd		

DRILLING METHOD		DATUM		GRID REFERENCE		Nº	
Shell and Auger		Top of Standpipe 76.53 m AOD		TL 2750 1058		764/BH1 (cont)	
MACHINE				SITE			
Pilcon Wayfarer				Cole Green and Holwell Court			
CONTRACTOR			LOGGED BY				
Wimpey			RS/GB				
CONSTR ACTION	Backfill	WATER	DEPTH	ELEVATION	DESCRIPTION OF STRATA		DEPTH LOG
	Depth Fill						
	Sand		10.65	65.88	ORANGE/BROWN SANDY SILT WITH SOME CLAY		
	Piezometer		11.0	65.53	SOFT SILTY LIGHT GREY CLAY		
	11.4						
	Bento- nite Pellets						
	12.55						
			12.8	63.73			
			13.4	63.13	FIRM TO STIFF SILTY GREY CLAY		
	Bento- nite Cement				HARD DARK GREY CLAY INCREASING IN CHALK AND FLINT FRAGMENTS CONTENT WITH DEPTH		
			20.0	56.53			
KEY				REMARKS			
Vertical Scale 1:50 2 centimetres equal 1 metre							
ASPINWALL & COMPANY				CLIENT Redland Aggregates Ltd			

DRILLING METHOD Shell and Auger	DATUM Top of Standpipe 76.53 m AOD	GRID REFERENCE TL 2750 1058	Nº 764/BH1 (Cont)
------------------------------------	--	--------------------------------	----------------------

MACHINE Pilcon Wayfarer	SITE Cole Green and Holwell Court
CONTRACTOR Wimpey	LOGGED BY RS/GB

CONSTRUCTION	Backfill	WATER	DEPTH	LOGGERS	DESCRIPTION OF STRATA	DEPTH
	Depth Fill					
			20.9	55.63	LIGHT BROWN FINE SAND	
					COARSE/MEDIUM SAND AND GRAVEL	
	Bento-nite Cement		22.4	54.13		
			23.0	53.53	COARSE ROUNDED GRAVEL	
					COARSE/MEDIUM/FINE SAND AND GRAVEL	
			26.8	49.73		
					MEDIUM/COARSE GRAVELS WITH SOME SAND AND INCREASING CHALK CONTENT WITH DEPTH	
			29.2	47.33	BASE OF BOREHOLE	

KEY Vertical Scale 1:50 2 centimetres equal 1 metre	REMARKS
---	---------