

Data Summary Statistics

Site:	Mineral Workings	Project No:	9Y0074
Data Description:	Groundwater	Completed By:	DBP
Land Use:	Public Open Space (Park)	Checked By:	EH
Receptor:	Controlled Waters		

Assessment Criteria Key

a) WFD inland surface waters 2015	e)
b) Laboratory limit of detection	f)
c) SoBRA GAC for assessing vapour risks	g)
d)	h)

Contaminant	Units	Method Detection Limit	Assessment Criteria (AC)	Source (see key)	Summary Statistics						Sample Identifiers and Analytical Data						
					Total Number of Samples	Results Above Detection Limit	Minimum	Maximum	Arithmetic Mean	Standard Deviation	Number of results >AC	BHIL01	BHIL04	RBH01	RBH02	SSBH01	TBH01
Organic Carbon, Total	mg/l	<3	-		2	2	61.8	85.3	73.55	16.6170094	-	61.8	85.3				
Ammoniacal Nitrogen as N	mg/l	<0.2	-		6	6	43.3	262	154.45	80.326378	-	138	198	43.3	197	262	88.4
Conductivity @ 20 deg.C	mS/cm	<0.005	-		2	2	3.4	3.61	3.505	0.14849242	-	3.4	3.61				
pH	pH Units	<1	-		6	6	7.17	8.19	7.49833333	0.36733727	-	7.34	8.19	7.17	7.46	7.26	7.57
Sulphate	mg/l	<2	-		2	1	2	43.9	22.95	-	-	43.9	<2				
Chloride	mg/l	<2	-		2	2	234	306	270	50.9116882	-	234	306				
Alkalinity, Total as CaCO3	mg/l	<2	-		6	6	1060	2680	2021.66667	557.329944	-	2030	1790	1060	2250	2680	2320
Total Oxidised Nitrogen as N	mg/l	<0.1	-		2	0	0.1	0.1	-	-	-	<0.1	<0.1				
Mercury (diss.filt)	µg/l	<0.01	-		6	1	0.01	0.0176	0.01126667	-	-	<0.01	<0.01	0.0176	<0.01	<0.01	<0.01
Calcium (diss.filt)	mg/l	<0.012	-		2	2	228	330	279	72.1248917	-	330	228				
Arsenic (diss.filt)	µg/l	<0.12	-		6	6	4.94	13.2	7.085	3.12101746	-	5.03	7.24	6.45	4.94	5.65	13.2
Sodium (diss.filt)	mg/l	<0.076	-		2	2	193	227	210	24.0416306	-	193	227				
Barium (diss.filt)	µg/l	<0.03	-		6	6	150	713	413.666667	198.525229	-	713	403	546	398	272	150
Magnesium (diss.filt)	mg/l	<0.036	-		2	2	63.7	89.9	76.8	18.5261977	-	89.9	63.7				
Beryllium (diss.filt)	µg/l	<0.07	-		6	0	0.07	0.1	-	-	-	<0.07	<0.07	<0.1	<0.1	<0.1	<0.1
Potassium (diss.filt)	mg/l	<1	-		2	2	83.7	105	94.35	15.0613744	-	83.7	105				
Iron (diss.filt)	mg/l	<0.019	-		2	2	0.297	18	9.1485	12.5179113	-	18	0.297				
Boron (diss.filt)	µg/l	<9.4	-		6	6	470	4280	2500	1456.00824	-	4280	4070	470	2260	1640	2280
Cadmium (diss.filt)	µg/l	<0.1	-		6	0	0.08	0.1	-	-	-	<0.1	<0.1	<0.08	<0.08	<0.08	<0.08
Chromium (diss.filt)	µg/l	<0.22	-		6	6	1.57	28.7	9.01833333	9.97549681	-	8.1	28.7	1.57	5.27	7.6	2.87
Copper (diss.filt)	µg/l	<0.85	-		6	3	0.85	6.92	2.025	2.41404847	-	1.56	1.12	6.92	<0.85	<0.85	<0.85
Lead (diss.filt)	µg/l	<0.02	-		6	5	0.1	1.78	0.716	0.70380026	-	0.615	0.172	1.78	<0.1	1.38	0.249
Manganese (diss.filt)	µg/l	<0.04	-		2	2	430	649	539.5	154.856385	-	649	430				
Nickel (diss.filt)	µg/l	<0.15	-		6	6	10.1	59.6	31.0666667	17.82904	-	14.9	33.3	59.6	10.1	39.2	29.3
Selenium (diss.filt)	µg/l	<0.39	-		6	3	0.81	10.9	4.425	4.33252698	-	7.87	10.9	<0.81	<0.81	<0.81	5.35
Vanadium (diss.filt)	µg/l	<0.24	-		6	5	1.3	7.72	3.945	2.45498473	-	5.78	7.72	<1.3	2.07	4.24	2.56
Zinc (diss.filt)	µg/l	<0.41	-		6	6	2.29	50.8	16.635	18.6185614	-	6.15	13.8	50.8	2.29	23.9	2.87
Phenol	mg/l	<0.002	-		6	3	0.002	0.05	0.01266667	0.01870472	-	<0.002	0.01	0.01	<0.002	<0.002	0.05
Cresols	mg/l	<0.006	-		6	4	0.006	0.04	0.01533333	0.01312504	-	<0.006	0.02	0.01	0.04	<0.006	0.01
Xylenols	mg/l	<0.008	-		6	4	0.008	0.04	0.016	0.01258571	-	0.01	0.01	<0.008	0.02	0.04	<0.008
Phenols, Total Detected monohydric	mg/l	<0.016	-		6	5	0.016	0.06	0.03933333	0.0188326	-	<0.016	0.04	0.02	0.06	0.04	0.06
GRO Surrogate % recovery**	%	-	-		2	2	76	80	78	2.82842712	-	80	76				
GRO >C5-C12	µg/l	<50	-		2	2	90	246	168	110.308658	-	90	246				
Methyl tertiary butyl ether (MTBE)	µg/l	<3	83000	c	2	0	3	3	-	-	0	<3	<3				
Benzene	µg/l	<7	210	c	6	0	7	7	-	-	0	<7	<7	<7	<7	<7	<7
Toluene	µg/l	<4	230000	c	6	0	4	4	-	-	0	<4	<4	<4	<4	<4	<4
Ethylbenzene	µg/l	<5	10000	c	6	0	5	5	-	-	0	<5	<5	<5	<5	<5	<5
m,p-Xylene	µg/l	<8	9500	c	6	1	8	9	8.16666667	-	0	<8	9	<8	<8	<8	<8
o-Xylene	µg/l	<3	12000	c	6	0	3	3	-	-	0	<3	<3	<3	<3	<3	<3
Sum of detected Xylenes	µg/l	<11	-		6	0	11	11	-	-	-	<11	<11	<11	<11	<11	<11
Sum of detected BTEX	µg/l	<28	-		6	0	28	28	-	-	-	<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	µg/l	<10	1900	c	6	3	10	128	30.6666667	47.7102365	0	<10	14	<10	12	<10	128
Aliphatics >C6-C8	µg/l	<10	1500	c	6	6	12	28	19.1666667	6.82397733	0	12	25	16	12	22	28
Aliphatics >C8-C10	µg/l	<10	57	c	6	6	13	41	26.1666667	11.9233664	0	13	41	20	15	38	30
Aliphatics >C10-C12	µg/l	<10	37	c	6	6	14	162	70.3333333	63.1717236	3	26	73	17	14	130	162
Aliphatics >C12-C16 (aq)	µg/l	<10	-		6	2	10	433	81.1666667	172.369854	-	<10	<10	<10	14	433	<10
Aliphatics >C16-C21 (aq)	µg/l	<10	-		6	4	10	2560	459.833333	1029.83502	-	16	<10	<10	127	2560	36
Aliphatics >C21-C35 (aq)	µg/l	<10	-		6	5	10	12400	2186.16667	5005.40106	-	117	70	<10	387	12400	133
Total Aliphatics >C12-C35 (aq)	µg/l	<10	-		6	5	10	15400	2718.33333	6215.36833	-	133	70	<10	528	15400	169
Aromatics >EC5-EC7	µg/l	<10	210000	c	6	0	10	10	-	-	0	<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	µg/l	<10	220000	c	6	0	10	10	-	-	0	<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	µg/l	<10	1900	c	6	5	10	39	20.1666667	11.7544318	0	<10	39	13	10	29	20
Aromatics >EC10-EC12	µg/l	<10	6800	c	6	5	10	108	46.8333333	42.1588267	0	17	48	11	<10	87	108
Aromatics >EC12-EC16 (aq)	µg/l	<10	39000	c	6	4	10	244	55.6666667	92.9056869	0	39	18	<10	13	244	<10
Aromatics >EC16-EC21 (aq)	µg/l	<10	-		6	4	10	2070	362.666667	836.51842	-	18	<10	<10	45	2070	23
Aromatics >EC21-EC35 (aq)	µg/l	<10	-		6	4	10	5810	1017.16667	2349.17683	-	13	<10	<10	203	5810	57
Total Aromatics >EC12-EC35 (aq)	µg/l	<10	-		6	5	10	8130	1428.16667	3284.4721	-	70	18	<10	261	8130	80
Total Aliphatics & Aromatics >C5-35 (aq)	µg/l	<10	-		6	6	83	23800	4350.16667	9532.84447	-	293	334	83	864	23800	727
Naphthalene (aq)	µg/l	<0.1	220	c	6	3	0.1	8.29	1.56366667	3.29898831	0	<0.1	0.494	<0.1	0.298	8.29	<0.1
Acenaphthene (aq)	µg/l	<0.015	170000	c	6	4	0.015	11.2	2.19816667	4.45017237	0	0.029	1.56	<0.015	0.37	11.2	<0.015
Acenaphthylene (aq)	µg/l	<0.011	220000	c	6	4	0.011	0.519	0.1053	0.20312794	0	<0.011	0.0355	<0.011	0.0425	0.519	0.0128
Fluoranthene (aq)	µg/l	<0.017	-		6	6	0.187	135	23.2445	54.7531129	-	0.688	1.08	0.382	2.13	135	0.187
Anthracene (aq)	µg/l	<0.015	-		6	6	0.018	24.4	4.1874	9.90267582	-	0.0764	0.238	0.018	0.299	24.4	0.093

Contaminant	Units	Method Detection Limit	Assessment Criteria (AC)	Source (see key)	Summary Statistics							Sample Identifiers and Analytical Data						
					Total Number of Samples	Results Above Detection Limit	Minimum	Maximum	Arithmetic Mean	Standard Deviation	Number of results >AC	BHIL01	BHIL04	RBH01	RBH02	SSBH01	TBH01	
Phenanthrene (aq)	µg/l	<0.022	-		6	6	0.0796	93	15.7847667	37.8290091	-	0.263	0.26	0.124	0.982	93	0.0796	
Fluorene (aq)	µg/l	<0.014	210000	c	6	5	0.014	14.1	2.51103333	5.68207257	0	0.055	0.622	<0.014	0.246	14.1	0.0292	
Chrysene (aq)	µg/l	<0.013	-		6	6	0.0841	65	11.1606833	26.377944	-	0.307	0.366	0.167	1.04	65	0.0841	
Pyrene (aq)	µg/l	<0.015	-		6	6	0.177	107	18.4553333	43.3815303	-	0.569	0.911	0.315	1.76	107	0.177	
Benzo(a)anthracene (aq)	µg/l	<0.017	-		6	6	0.0908	78	13.3901333	31.6550519	-	0.378	0.398	0.194	1.28	78	0.0908	
Benzo(b)fluoranthene (aq)	µg/l	<0.023	-		6	6	0.259	220	37.9061667	89.2260755	-	0.837	0.617	0.604	5.12	220	0.259	
Benzo(k)fluoranthene (aq)	µg/l	<0.027	-		6	6	0.0866	92.8	15.9452667	37.6578942	-	0.321	0.212	0.242	2.01	92.8	0.0866	
Benzo(a)pyrene (aq)	µg/l	<0.009	-		6	6	0.156	165	28.3885	66.9384422	-	0.647	0.462	0.406	3.66	165	0.156	
Dibenzo(a,h)anthracene (aq)	µg/l	<0.016	-		6	6	0.0362	21.6	3.79261667	8.729404	-	0.103	0.0726	0.0889	0.855	21.6	0.0362	
Benzo(g,h,i)perylene (aq)	µg/l	<0.016	-		6	6	0.154	59.6	10.6566667	24.001565	-	0.438	0.333	0.395	3.02	59.6	0.154	
Indeno(1,2,3-cd)pyrene (aq)	µg/l	<0.014	-		6	6	0.126	57.5	10.1458333	23.2181303	-	0.208	0.163	0.308	2.57	57.5	0.126	
PAH, Total Detected USEPA 16 (aq)	µg/l	<0.344	-		6	6	1.57	1150	198.876667	466.035921	-	4.92	7.83	3.24	25.7	1150	1.57	
1,2,4-Trichlorobenzene (aq)	µg/l	<1	68	c	6	0	1	4	-	-	0	<1	<1	<1	<4	<1	<1	
1,2-Dichlorobenzene (aq)	µg/l	<1	2000	c	6	0	1	4	-	-	0	<1	<1	<1	<4	<1	<1	
1,3-Dichlorobenzene (aq)	µg/l	<1	31	c	6	0	1	4	-	-	0	<1	<1	<1	<4	<1	<1	
1,4-Dichlorobenzene (aq)	µg/l	<1	5000	c	6	3	1	4	1.71833333	1.15762544	0	1.05	1.64	<1	<4	1.62	<1	
2,4,5-Trichlorophenol (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
2,4,6-Trichlorophenol (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
2,4-Dichlorophenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
2,4-Dimethylphenol (aq)	µg/l	<1	-		6	1	1	4	1.555	-	-	<1	<1	<1	<4	1.33	<1	
2,4-Dinitrotoluene (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
2,6-Dinitrotoluene (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
2-Chloronaphthalene (aq)	µg/l	<1	160	c	5	0	1	4	-	-	0	<1	<1	<1	<4	<1	-	
2-Chlorophenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
2-Methylnaphthalene (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
2-Methylphenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
2-Nitroaniline (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
2-Nitrophenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
3-Nitroaniline (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
4-Bromophenylphenylether (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
4-Chloro-3-methylphenol (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
4-Chloroaniline (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
4-Chlorophenylphenylether (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
4-Methylphenol (aq)	µg/l	<1	-		6	1	1	4	1.99333333	-	-	<1	<1	<1	<4	<1	3.96	
4-Nitroaniline (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
4-Nitrophenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Azobenzene (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
bis(2-Chloroethyl)ether (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
bis(2-Chloroethoxy)methane (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
bis(2-Ethylhexyl) phthalate (aq)	µg/l	<2	-		6	4	2	16.4	6.04	5.90426625	-	2.28	<2	<2	9.87	16.4	3.69	
Butylbenzyl phthalate (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Carbazole (aq)	µg/l	<1	-		6	2	1	4	1.64833333	1.17375324	-	<1	1.36	<1	<4	1.53	<1	
Dibenzofuran (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
n-Dibutyl phthalate (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Diethyl phthalate (aq)	µg/l	<1	-		6	1	1	4	1.68833333	-	-	<1	<1	<1	<4	<1	2.13	
Dimethyl phthalate (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
n-Dioctyl phthalate (aq)	µg/l	<5	-		6	0	5	20	-	-	-	<5	<5	<5	<20	<5	<5	
Hexachlorobenzene (aq)	µg/l	<1	16	c	6	0	1	4	-	-	0	<1	<1	<1	<4	<1	<1	
Hexachlorobutadiene (aq)	µg/l	<1	1.7	c	5	0	1	4	-	-	1	<1	<1	<1	<4	<1	-	
Pentachlorophenol (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Phenol (aq)	µg/l	<1	-		2	0	1	1	-	-	-	<1	<1					
n-Nitroso-n-dipropylamine (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Hexachloroethane (aq)	µg/l	<1	8.5	c	6	0	1	4	-	-	0	<1	<1	<1	<4	<1	<1	
Nitrobenzene (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Isophorone (aq)	µg/l	<1	-		6	0	1	4	-	-	-	<1	<1	<1	<4	<1	<1	
Hexachlorocyclopentadiene (aq)	µg/l	<1	-		5	0	1	4	-	-	-	<1	<1	<1	<4	<1	-	
Dibromofluoromethane**	%	-	-		6	6	103	112	107.166667	3.12516666	-	112	109	107	107	105	103	
Toluene-d8**	%	-	-		6	6	96.6	97.9	97.3	0.42895221	-	97.2	97.9	97.5	96.6	97.2	97.4	
4-Bromofluorobenzene**	%	-	-		6	6	92.6	98.1	95.75	2.03051718	-	92.6	94.6	97.2	95.1	98.1	96.9	
Dichlorodifluoromethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1	
Chloromethane	µg/l	<1	14	c	6	1	1	1.17	1.02833333	-	0	<1	<1	<1	<1	<1	1.17	
Vinyl chloride	µg/l	<1	0.62	c	6	0	1	1	-	-	6	<1	<1	<1	<1	<1	<1	
Bromomethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1	
Chloroethane	µg/l	<1	10000	c	6	1	1	2.13	1.18833333	-	0	<1	2.13	<1	<1	<1	<1	
Trichlorofluoromethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1	
1,1-Dichloroethene	µg/l	<1	160	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1	
Carbon disulphide	µg/l	<1	56	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1	
Dichloromethane	µg/l	<3	3300	c	6	0	3	3	-	-	0	<3	<3	<3	<3	<3	<3	
Methyl tertiary butyl ether (MTBE)	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1	
trans-1,2-Dichloroethene	µg/l	<1	160	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1	
1,1-Dichloroethane	µg/l	<1	2700	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1	
cis-1,2-Dichloroethene	µg/l	<1	130	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1	
2,2-Dichloropropane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1	

Contaminant	Units	Method Detection Limit	Assessment Criteria (AC)	Source (see key)	Summary Statistics						Sample Identifiers and Analytical Data						
					Total Number of Samples	Results Above Detection Limit	Minimum	Maximum	Arithmetic Mean	Standard Deviation	Number of results >AC	BHIL01	BHIL04	RBH01	RBH02	SSBH01	TBH01
Bromochloromethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Chloroform	µg/l	<1	790	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	µg/l	<1	3000	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Carbon tetrachloride	µg/l	<1	5.3	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	µg/l	<1	8.9	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Benzene	µg/l	<1	210	c	6	4	1	5.27	2.59166667	1.85199802	0	5.27	4.55	<1	1.96	1.77	<1
Trichloroethene	µg/l	<1	5.7	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	µg/l	<1	22	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Dibromomethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Bromodichloromethane	µg/l	<1	17	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Toluene	µg/l	<1	230000	c	6	3	1	3.48	1.54166667	0.96962708	0	<1	1.47	1.3	<1	<1	3.48
trans-1,3-Dichloropropene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	µg/l	<1	520	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Tetrachloroethene	µg/l	<1	34	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Dibromochloromethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,2-Dibromoethane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Chlorobenzene	µg/l	<1	98	c	6	3	1	5.17	2.42666667	1.94582288	0	4.63	1.76	<1	<1	5.17	<1
1,1,1,2-Tetrachloroethane	µg/l	<1	240	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Ethylbenzene	µg/l	<1	-		6	2	1	1.32	1.07333333	0.13002564	-	<1	1.32	<1	<1	1.12	<1
m,p-Xylene	µg/l	<1	-		6	1	1	6.41	1.90166667	-	-	<1	6.41	<1	<1	<1	<1
o-Xylene	µg/l	<1	-		6	1	1	1.09	1.015	-	-	<1	<1	<1	<1	1.09	<1
Styrene	µg/l	<1	8800	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Bromoform	µg/l	<1	3100	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Isopropylbenzene	µg/l	<1	850	c	6	1	1	1.23	1.03833333	-	0	<1	1.23	<1	<1	<1	<1
1,1,2,2-Tetrachloroethane	µg/l	<1	1600	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Bromobenzene	µg/l	<1	220	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Propylbenzene	µg/l	<1	2700	c	6	1	1	1.81	1.135	-	0	<1	1.81	<1	<1	<1	<1
2-Chlorotoluene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
4-Chlorotoluene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
tert-Butylbenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,2,4-Trimethylbenzene	µg/l	<1	24	c	6	2	1	16.4	3.595	6.27351178	0	<1	16.4	<1	<1	<1	1.17
sec-Butylbenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
4-iso-Propyltoluene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,3-Dichlorobenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	µg/l	<1	-		6	2	1	2.21	1.33833333	0.53845767	-	<1	2.21	<1	<1	1.82	<1
n-Butylbenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,2-Dibromo-3-chloropropane	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Hexachlorobutadiene	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
tert-Amyl methyl ether (TAME)	µg/l	<1	-		6	0	1	1	-	-	-	<1	<1	<1	<1	<1	<1
Naphthalene	µg/l	<1	-		6	1	1	5.51	1.75166667	-	-	<1	5.51	<1	<1	<1	<1
1,2,3-Trichlorobenzene	µg/l	<1	35	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
1,3,5-Trichlorobenzene	µg/l	<1	7.4	c	6	0	1	1	-	-	0	<1	<1	<1	<1	<1	<1
Chromium, Hexavalent	mg/l	<0.03	-		4	0	0.03	0.03	-	-	-			<0.03	<0.03	<0.03	<0.03